7	0	U	
2	50	o .	Hits
((search\$3 with index) and database and (pseudodelet\$3 or pseudoadj delet\$3 or pseudoadj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean))) and (lock\$3 or x?lock\$3 or s?lock\$3 or (shared adj lock\$3)))	(search\$3 with index) and database and (pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean)) and (lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3))	(database and index and ((exclusive\$2 near3 lock\$3) or x?lock) and ((shared near3 lock\$3) or lock\$3) or s?lock) and ((pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or bool or attribute or boolean))) same lock\$3) and @ad<=20010628	Search Text
USPAT; US-PGPUB; EPO; JPO; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	DBs
2003/08/01 15:52	2003/08/01 15:50	2003/08/01 15:47	Time Stamp

	Hits	Search Text	DBs
ω	45	(search\$3 with index) and atabase and (pseudodelet\$ seudo?delet\$3 or (pseudolelet\$ elet\$3) or (soft adj delet (delet\$3 near2 (flag or lagged or flagging or bit ttribute or bool or boolend (lock\$3 or x?lock\$3 or ?lock\$3 or (shared adj loc	USPAT; US- EPO; JPO;
9	40	ith index) an (pseudodelet\$ 3 or (pseudosoft adj deleear2 (flag or bit boole or boole r x?lock\$3 or exclusive\$2 ahared adj loc@ad<=20010628	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	9		USPAT; US-PGPUB; EPO; JPO; IBM_TD
<u> </u>	3699	pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool	USPAT; US-PGPUB; EPO; JPO; IBM_TD

Hits	Search Text	DBs	Time Stamp
15 7	let\$3 t\$3 or (soft r flag marked or bo nd (x? ve\$2 n or sl or sl 3))) a onal o \$3 or d @ad<	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05
16 51	(pseudodelet\$3 or (seudo?delet\$3 or (soft nelet\$3) or (soft nelet\$3) or flaggi: r (flag or marked or mark or marked or bool or boolelet\$3)) and lock\$ condition\$4 with (USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05
17 16	(((pseudodelet\$3 or pseudo adj pseudo?delet\$3) or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and (database or data?base)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05

eudo adj r1 delet\$
or (pseudo adj near1 delet\$3) ing or flagged or marking or lean) near2 \$3) and (lock\$3 or) and base)) or USPAT; US- or
DBs; US-